


```
dbutility reload <data_source> <data_source>_control_tables.sav
```

Verifying the results

You can verify that the `dbscriptfixup` program successfully updated your control tables by executing a `redefine` command for the data source with the `-R` option. If the command finds no changes in the table layouts, then you know that you safely use the Client Configurator and that all the changes that you made via user scripts are preserved.

Appendix: Installation Results

This section includes lists of files that are installed with each product.

Files Installed with DATABridge Host

This section describes each of the files installed with DATABridge Host software.

DATABridge software is organized into the following directories:

Directory	Description
OBJECT/DATABRIDGE/=	Executable files
SYMBOL/DATABRIDGE/=	Source files
WFL/DATABRIDGE/=	WFL job files
DATA/=	Parameter and data files
PATCH/=	Source files
INSTALLS/=	Contains the executable file for installing DATABridge Enterprise on a ClearPath PC or Windows server
	INSTALLS/DBENTERPRISE/"SETUP.EXE"

OBJECT/DATABRIDGE Directory

The DATABridge Host files are copied to the usercode designated at installation.

Filename	Description
OBJECT/DATABRIDGE/AUDITMIRROR	Object code for the DATABridge AuditMirror Accessory
OBJECT/DATABRIDGE/SPAN	Object code for the DATABridge Span Accessory
OBJECT/DATABRIDGE/DBINFO	Object code for the DATABridge Info utility
OBJECT/DATABRIDGE/ENGINE	Object code for DBEngine library
OBJECT/DATABRIDGE/LISTER	Object code for the DATABridge Lister Accessory

OBJECT/DATABRIDGE/SAMPLE/SQLGEN	Object code for the sample DATABridge SQLGen Accessory
OBJECT/DATABRIDGE/SAMPLE/DASDLGEN	Object code for the sample DATABridge DASDLGen Accessory
OBJECT/DATABRIDGE/SAMPLE/ COBOLGEN	Object code for the sample DATABridge COBOLGen Accessory
OBJECT/DATABRIDGE/SAMPLE/ AUDITCLOSE	Object code for the sample Audit Close utility
OBJECT/DATABRIDGE/SAMPLE/ READDOC	Object code for the sample ReadDoc Accessory
OBJECT/DATABRIDGE/SAMPLE/MINISPAN	Object code for sample DBMiniSpan Accessory
OBJECT/DATABRIDGE/SAMPLE/REFORMAT	Object code for sample data item conversion routines
OBJECT/DATABRIDGE/SAMPLE/MINILISTER	Object code for the sample MiniLister Accessory
OBJECT/DATABRIDGE/SAMPLE/COBOLFORM AT	Object code for the sample COBOL format utility
OBJECT/DATABRIDGE/SAMPLE/EXTRACTADD RESS	Object code for the sample ExtractAddress library
OBJECT/DATABRIDGE/SAMPLE/ENCRYPT	Object code for encryption library
OBJECT/DATABRIDGE/SERVER	Object code for the DATABridge Server Accessory
OBJECT/DATABRIDGE/TANKER	Object code for the DATABridge Tanker Accessory
OBJECT/DATABRIDGE/SUPPORT	Object code for the DATABridge Support Library
OBJECT/DATABRIDGE/SNAPSHOT	Object code for the DATABridge Snapshot Accessory
OBJECT/DATABRIDGE/GENFORMAT	Object code for the DATABridge GenFormat program
OBJECT/DATABRIDGE/AUDITTIMER	Object code for the DATABridge AuditTimer program

OBJECT/DATABRIDGE/AUDITSUPPORT	Object code for the DATABridge Plus library
OBJECT/DATABRIDGE/COBOLSUPPORT	Object code for DATABridge CobolSupport library
OBJECT/DATABRIDGE/KEYENTRY	Object code for product key library
OBJECT/DATABRIDGE/CHANGEUSER	Object code for the DATABridge ChangeUser library. ChangeUser changes the usercode of a Server Accessory Worker in cases where the SOURCE specifies a USERCODE, so the Worker will appear in response to a CANDE ?J (jobs) command or the ODT or MARC command A USER <usercode>, which lists all of the active programs running under usercode.

SYMBOL/DATABRIDGE Directory

The DATABridge Host files are copied to the usercode designated at installation.

Filename	Description
SYMBOL/DATABRIDGE/SAMPLE/LOAD	Source code for loading the sample DMSII database (COBOL file type)
SYMBOL/DATABRIDGE/SAMPLE/SQLGEN	Sample source code for generating an SQL script to create tables that correspond to a DMSII database. (ALGOL file type)
SYMBOL/DATABRIDGE/SAMPLE/COBOLGEN	Sample source code for generating COBOL file layouts corresponding to a DMSII database (ALGOL file type)
SYMBOL/DATABRIDGE/SAMPLE/AUDITCLOSE	Sample source code for closing a DMSII audit file (ALGOL file type)

splitter[.exe]	A utility that splits large trace files into smaller files. Used primarily for sending files to Attachmate for troubleshooting.
dumpnullrecs[.exe]	A program that displays the content of the NULL record file for a given data source.

Client Console Files

Files for the Client Console are installed to the Documents and Settings*username*\databridge\6.1\dbconsole folder.